



HEADS UP SCHOOLS

A Fact Sheet for Parents

What is a concussion?

A concussion is a type of brain injury that changes the way the brain normally works. A concussion is caused by a bump, blow, or jolt to the head. Concussions can also occur from a blow to the body that causes the head and brain to move rapidly back and forth. Even what seems to be a mild bump to the head can be serious.

Concussions can have a more serious effect on a young, developing brain and need to be addressed correctly.

What are the signs and symptoms of a concussion?

You can't see a concussion. Signs and symptoms of concussion can show up right after an injury or may not appear or be noticed until hours or days after the injury. It is important to watch for changes in how your child or teen is acting or feeling, if symptoms are getting worse, or if s/he just "doesn't feel right." Most concussions occur without loss of consciousness.

If your child or teen reports *one or more* of the symptoms of concussion listed below, or if you notice the symptoms yourself, seek medical attention right away. Children and teens are among those at greatest risk for concussion.

SIGNS AND SYMPTOMS OF A CONCUSSION

SIGNS OBSERVED BY PARENTS OR GUARDIANS

- Appears dazed or stunned
- Is confused about events
- Answers questions slowly
- Repeats questions
- Can't recall events *prior* to the hit, bump, or fall
- Can't recall events *after* the hit, bump, or fall
- Loses consciousness (even briefly)
- Shows behavior or personality changes
- Forgets class schedule or assignments

SYMPTOMS REPORTED BY YOUR CHILD OR TEEN

Thinking/Remembering:

- Difficulty thinking clearly
- Difficulty concentrating or remembering
- Feeling more slowed down
- Feeling sluggish, hazy, foggy, or groggy

Physical:

- Headache or "pressure" in head
- Nausea or vomiting
- Balance problems or dizziness
- Fatigue or feeling tired
- Blurry or double vision
- Sensitivity to light or noise
- Numbness or tingling
- Does not "feel right"

Emotional:

- Irritable
- Sad
- More emotional than usual
- Nervous

Sleep*:

- Drowsy
- Sleeps *less* than usual
- Sleeps *more* than usual
- Has trouble falling asleep

**Only ask about sleep symptoms if the injury occurred on a prior day.*

To download this fact sheet in Spanish, please visit: www.cdc.gov/Concussion. Para obtener una copia electrónica de esta hoja de información en español, por favor visita: www.cdc.gov/Concussion.

DANGER SIGNS

Be alert for symptoms that worsen over time. Your child or teen should be seen in an emergency department right away if s/he has:

- One pupil (the black part in the middle of the eye) larger than the other
- Drowsiness or cannot be awakened
- A headache that gets worse and does not go away
- Weakness, numbness, or decreased coordination
- Repeated vomiting or nausea
- Slurred speech
- Convulsions or seizures
- Difficulty recognizing people or places
- Increasing confusion, restlessness, or agitation
- Unusual behavior
- Loss of consciousness (even a brief loss of consciousness should be taken seriously)

Children and teens with a concussion should **NEVER** return to sports or recreation activities on the same day the injury occurred. They should delay returning to their activities until a health care professional experienced in evaluating for concussion says they are symptom-free and it's OK to return to play. This means, until permitted, not returning to:

- Physical Education (PE) class,
- Sports practices or games, or
- Physical activity at recess.

What should I do if my child or teen has a concussion?

1. **Seek medical attention right away.** A health care professional experienced in evaluating for concussion can determine how serious the concussion is and when it is safe for your child or teen to return to normal activities, including physical activity and school (concentration and learning activities).
2. **Help them take time to get better.** If your child or teen has a concussion, her or his brain needs time to heal. Your child or teen may need to limit activities while s/he is recovering from a concussion. Exercising or activities that involve a lot of concentration, such as studying, working on the computer, or playing video games may cause concussion symptoms (such as headache or tiredness) to reappear or get worse. After a concussion, physical and cognitive activities—such as concentration and learning—should be carefully managed and monitored by a health care professional.
3. **Together with your child or teen, learn more about concussions.** Talk about the potential long-term effects of concussion and the dangers of returning too soon to normal activities (especially physical activity and learning/concentration). For more information about concussion and free resources, visit: www.cdc.gov/Concussion.

How can I help my child return to school safely after a concussion?

Help your child or teen get needed support when returning to school after a concussion. Talk with your child's teachers, school nurse, coach, speech-language pathologist, or counselor about your child's concussion and symptoms. Your child may feel frustrated, sad, and even angry because s/he cannot return to recreation and sports right away, or cannot keep up with schoolwork. Your child may also feel isolated from peers and social networks. Talk often with your child about these issues and offer your support and encouragement. As your child's symptoms decrease, the extra help or support can be removed gradually. Children and teens who return to school after a concussion may need to:

- Take rest breaks as needed,
- Spend fewer hours at school,
- Be given more time to take tests or complete assignments,
- Receive help with schoolwork, and/or
- Reduce time spent reading, writing, or on the computer.

*To learn more about concussion and to order materials **FREE-OF-CHARGE**, go to: www.cdc.gov/Concussion or call 1.800.CDC.INFO.



A FACT SHEET FOR Athletes




This sheet has information to help you protect yourself from concussion or other serious brain injury and know what to do if a concussion occurs.

WHAT IS A CONCUSSION?

A concussion is a brain injury that affects how your brain works. It can happen when your brain gets bounced around in your skull after a fall or hit to the head.

What Should I Do If I Think I Have a Concussion?



Report It. Tell your coach, parent, and athletic trainer if you think you or one of your teammates may have a concussion. It's up to you to report your symptoms. Your coach and team are relying on you. Plus, you won't play your best if you are not feeling well.


Get Checked Out. If you think you have a concussion, do not return to play on the day of the injury. Only a healthcare provider can tell whether you have a concussion and when it is OK to return to school and play. The sooner you get checked out, the sooner you may be able to safely return to play.



Give Your Brain Time to Heal.

A concussion can make everyday activities, such as going to school, harder. You may need extra help getting back to your normal activities. Be sure to update your parents and doctor about how you are feeling.

Why Should I Tell My Coach and Parent About My Symptoms?



- Playing or practicing with a concussion is dangerous and can lead to a longer recovery.
- While your brain is still healing, you are much more likely to have another concussion. This can put you at risk for a more serious injury to your brain and can even be fatal.

GOOD TEAMMATES KNOW:
IT'S BETTER TO MISS ONE GAME THAN THE WHOLE SEASON.



cdc.gov/HEADSUP