



Worcester Public Schools



Worcester, Massachusetts

Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building
20 Irving Street
Worcester, Massachusetts 01609-2493

Telefon (508) 799-3115

FAX (508) 799-3119

Ayewohomumɔ 2022

De kɔma Sukuufu, Abusuafo, ne Adwumayefo a wɔwɔ **Burncoat Middle**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwɛmu mu no, yehuu sɛ doroben ahorow bi a ɛwɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwɛ akwanhosan dwumadie ahorow nansa yi ara ɛfa lead dade ne kɔbere ɛwɔ nsuo mu nhwehwɛmu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa deɛ a edi kan ne nea yɛsae bere a woguso sa nsuo no dada. Sɛ wopɛ nsem pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwɛ: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwɛ dwumadie ahorow no yɛ nhwehwɛmu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwɛ akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwɛmu a wɔn agye atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anamɔntu Gyinapɛn ma kɔbere a ɛwɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsem a ɛfa lead dade ne kɔbere a ɛwɔ nsuo mu a hwɛ:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ɛhwɛ Amansan Akwahosan ho nsem a ɛfa lead dade ne kɔbere a ɛwɔ nsuo mu a hwɛ: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwɛmu Resɔt ne Eho Dwumadie Nhyehyɛɛ

Nhwehwɛmu Da	Doroben Ahorow a yɛhwɛhwɛmu	Nhwehwɛmu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akya bere	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akya bere	Dwumadie Nhyehyɛɛ
2/24/2022	Duruben a wɔnom mu nsuo	Wɔ apɔwmu-tectɛɛ asa so - benkum	0.005	0.0012	Enni Hɔ	Enni Hɔ	Fa afidie a yɛde yɛ adwuma si nkyɛn kosi bere bi
2/24/2022	Duruben a wɔnom mu nsuo	Wɔ apɔwmu-tectɛɛ asa so - nifa	0.02	0.0025	Enni Hɔ	Enni Hɔ	Fa afidie a yɛde yɛ adwuma si nkyɛn kosi bere bi
2/24/2022	Afɔforɔ - hweaseammo	Nhomakorabea Ofise	0.0074	0.0010	Enni Hɔ	Enni Hɔ	Fa ahyɛnsodeɛ "Hohoro wo

							Nsa Nkooa" si hɔ
2/24/2022	Afoforɔ - hweaseammɔ	Dan L-30 tikyafɔ dan	0.0029	0.0012	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
2/24/2022	Sukuudan mu nsuo doroben	Dan L-29	0.0043	0.00092	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Duruben a wɔnom mu nsuo	Abrannaa nkyem fi Dan L-29	0.043	0.017	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
2/24/2022	Sukuudan mu nsuo doroben	Dan L-26	0.0059	0.00059	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Sukuudan mu nsuo doroben	Dan A-11	0.0067	0.00093	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Gyaade ketere	Gyaade	0.0016	0.00025	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 ansa na wode aye ade
2/24/2022	Duruben a wɔnom mu nsuo	Abrannaa nkyem fi Dan S-09	0.0024	0.0047	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
2/24/2022	Sukuudan mu nsuo doroben	Dan S-14	0.0019	0.00042	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Sukuudan mu nsuo doroben	Dan S-10	0.04	0.0015	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Sukuudan mu nsuo doroben	Dan S-12 - benkum	0.0076	0.0017	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ
2/24/2022	Sukuudan mu nsuo doroben	Dan S-12 - nifa	0.0035	0.00018	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkooa" si hɔ

2/24/2022	Nea ema nsuo ye nwunu	Abrannaa nkyem fi Dan L-11	0.02	0.018	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
2/24/2022	Afoforɔ – nea yede hye toa	Abrannaa nkyem fi Dan L-11	0.012	Enni Hɔ	Enni Hɔ	Enni Hɔ	
2/24/2022	Sukuudan mu nsuo doroben	Dan L-27 akyi mantwea	0.011	0.00072	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ

Massachusetts nhwehwemu a won agye atom gyinapen ye 0.001 mg/L ne Anammɔntu Gyinapen ma kobere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea eka anammɔntuo a ewɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wɔ mantam no nyinaa mu:

1. Wɔ ahyensodeɛ bi te sɛ "*Nsa Hohoro Nkoaa Ahyensodeɛ*" asi doroben ahorow a lead dade ne/kobere gyinapen no boro lead gyinapen no so ne/anaa kobere Anammɔntuo Gyinapen no so na wonnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a eboro anammɔntuo gyinapen no so wɔ mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoɛ a Ehwɛ Akwahosan so no ka sɛ nsuo a lead dade ne kobere wom no nye hu bere a wode hohoro wo nsa.
2. Yɛbema sukuufo, adwumayɛfo, ne mpɔtam adwumayɛfo nsem.
3. Yene WPS asoɛ te sɛ Aduanedi, Nɛɛsin, ne nea etete saa na yede aye anammɔntuo nhyehyɛɛ, sɛ eho behia a.
4. Yehwe sɛ yewɔ nsuo dodow a yenom ne nea yede ye aduane sɛ esɛ sɛ yeyi doroben bi kakra na yeye nhwehwemu a anaa yede yiye to n'akwan mu. Yadum nea ema nsuo ye nwunu nyinaa, doroben a yenom mu nsuo, ne tua ahorow nyinaa anaa na yeba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayɛfo nyinaa saa bere yi.

Lead Dade ne Kobere a ewɔ Nsuo a Yenom mu Farebea ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsukurabea ne asaase ase nsuo nni lead dade ne kobere wom. Lead dade tumi kɔ nsuo mu bere a nneɛma a wode twe nsuo no ho aka na ewɔ lead dade wom, te sɛ lead doroben (doroben biara a ewɔ lead wom no yayi afi hɔ) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneɛma a yede twe nsuo wɔ dan bi mu. Kobere tumi kɔ nsuo mu bere a nneɛma a wode twe nsuo no ho aka na ewɔ kobere wom.

Lead dade ne kobere a esɔne taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwɛ sɛ wotwe nsuo a ade akye so aɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ewɔ dan afoforo mu. Nneɛma a yede twe nsuo ne doroben ahorow, titiriw, nea wode lead dade na aye anaa nea yede tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesɛ wo hye no nso sɛ asiane nsem a efa Covid-19 ho enti, yɛmfa nneɛma bi te sɛ nea ema nsuo ye nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmien a etwam ni. Yen ama adwumayɛfo ne asukuufo nyinaa nsuo a ewɔ tua mu fi bere a yebaa sukuu sɛ yebesua ade wɔ March 2021. Yereye adwuma dendenden na y'aye nsuo a

**yeṅom nyinaa mu nhwehwemu wo yeṅ dan ahorow nyinaa mu na yetumi de adi dwuma 2022
– 2023 sukuu afe no.**

Se wope nsemmisa biara a efa saa asem yi ho a, mesre wo fre WPS Nheema Asoee wo (508) 799-3151.

Eye me,



Sukuu Panyin