



Worcester Public Schools

Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building
20 Irving Street
Worcester, Massachusetts 01609-2493

Telefon (508) 799-3115

FAX (508) 799-3119

Ayewohomumɔ 2022

De kɔma Sukuufɔ, Abusuafo, ne Adwumayefɔ a wɔwɔ **Chandler Elementary Community School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemu mu no, yehuu se doroben ahorow bi a ewɔ yen sukuu mu wɔ lead dade gyinapen bi a εboro lead dade gyinapen a ehia no so ana/ne kɔbere a εboro Anamɔntuo Gyinapen no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yenom, yede noa aduane, ne nea yede hwe akwanhosan dwumadie ahorow nansa yi ara efa lead dade ne kɔbere ewɔ nsuo mu nhwehwemu. Yesaa nsuo no bi fii doroben biara mu, yea nsuo a agyina doroben mu ma ade akye anɔpa dee a edi kan ne nea yesae bere a woguso sa nsuo no dada. Se wope nsem pii afa akwan ahorow a yefa so sa nsuo wɔ sukuu no mu a mesre wo hwe: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ene USEPA 3Ts Nhoma a wɔn aye mu Nsakrae hyia no, MassDEP LCCA dwumadie no hye ho nkuran se sukuu ahorow ne mfiase nhomasua ne ohwe dwumadie ahorow no ye nhwehwemu na wosiesie doroben biara a wonom mu nsuo, wɔde noa aduane ne nea wode hwe akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemu a wɔn agye atom gyinapen 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi se yebehu lead dade a esua koraa. Massachusetts Anammɔntu Gyinapen ma kɔbere a ewɔ nsuo mu ye 1.3 mg/L (yesan fre no parts per million).

Se wope MassDEP ho nsem a efa lead dade ne kɔbere a ewɔ nsuo mu a hwe:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Se wope Massachusetts Asoee a ehwe Amansan Akwahosan ho nsem a efa lead dade ne kɔbere a ewɔ nsuo mu a hwe: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemu Resɔt ne Eho Dwumadie Nhyehyee

Nhwehwemu Da	Doroben Ahorow a yehwehwemu	Nhwehwemu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akyia bere a	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akyia bere	Dwumadie Nhyehyee
4/20/2022	Duroben a wonom mu nsuo	Gyinapen 2 Asa so kwan nkyem fi sorokɔ afdie	0.049	0.011	2.1	0.88	Fa afdie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Gyaade nsuo duroben	Gyaade -nifa	0.0053	0.00048	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

4/20/2022	Duroben a wɔnom mu nsuo	Apɔwmuteteetebea	0.012	0.0045	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Duroben a wɔnom mu nsuo	Dan 13 - benkum	0.0049	0.00034	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Duroben a wɔnom mu nsuo	Dan 13 - nifa	0.0028	0.00058	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Sukuudan mu nsuo duroben	Dan 13 - nifa	0.0021	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
4/20/2022	Duroben a wɔnom mu nsuo	Dan 12	0.0069	0.00079	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Sukuudan mu nsuo duroben	Dan 12	0.015	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
4/20/2022	Duroben a wɔnom mu nsuo	Dan 11	0.0029	0.00092	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Sukuudan mu nsuo duroben	Dan 11	0.0032	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
4/20/2022	Duroben a wɔnom mu nsuo	Dan14	0.0046	0.002	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Sukuudan mu nsuo duroben	Dan 14	0.013	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
4/20/2022	Duroben a wɔnom mu nsuo	Dan 31 abɔnten sorokɔ afidie	0.0049	0.00065	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi

4/20/2022	Sukuudan mu nsuo duroben	Dan 36 - nifa	0.0025	0.00019	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ “Hohoro wo Nsa Nkoa” si hɔ
4/20/2022	Sukuudan mu nsuo duroben	Dan 37 - benku	0.0086	0.001	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ “Hohoro wo Nsa Nkoa” si hɔ
4/20/2022	Duroben a wɔnom mu nsuo	Dan 44	0.0019	0.00026	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/20/2022	Sukuudan mu nsuo duroben	Dan 44	0.0022	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ “Hohoro wo Nsa Nkoa” si hɔ

Massachusetts nhwehwemu a wɔn agye atom gyinapen ye 0.001 mg/L ne Anammɔntu Gyinapen ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resots wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea eka anammɔntuo a ɛwɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wɔ mantam no nyinaa mu:

1. Wɔ ahyensodeɛ bi te se “Nsa Hohoro Nkoa Ahyensodeɛ” asi doroben ahorow a lead dade ne/kɔbere gyinapen no boro lead gyinapen no so ne/anaa kɔbere Anammɔntuo Gyinapen no so na wɔnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a ɛboro anammɔntuo gyinapen no so wɔ mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoɛɛ a ɛhwe Akwahosan so no ka se nsuo a lead dade ne kɔbere wom no nye hu bere a wode hohoro wo nsa.
2. Yɛbema sukuufo, adwumayefo, ne mpɔtam adwumayefo nsem.
3. Yene WPS asoɛɛ te se Aduanedi, Neesin, ne nea ɛtete saa na yede aye anammɔntuo nhyehyee, se ɛho behia a.
4. Yɛhwe se yewɔ nsuo dodow a yenom ne nea yede ye aduane se ɛse se yeyi doroben bi kakra na yeye nhwehwemu a anaa yede yiye to n’akwan mu. Yadum nea ɛma nsuo ye nwunu nyinaa, doroben a yenom mu nsuo, ne tua ahorow nyinaa ansaa na yeba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayefo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ɛwɔ Nsuo a Yenom mu Farebea ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsuokurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneema a wode twe nsuo no ho aka na ɛwɔ lead dade wom, te se lead doroben (doroben biara a ɛwɔ lead wom no yayi a fi hɔ) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneema a yede twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneema a wode twe nsuo no ho aka na ɛwɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwe se wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ɛwɔ dan afoforo mu. Nneema a yede twe nsuo ne doroben ahorow, titiriw, nea wode lead dade na aye anaa nea yede tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesre wo hye no nso se asiane nsem a efa Covid-19 ho enti, yemfa nneema bi te se nea ema nsuo ye nwunu, asubura a wonom mu nsuo, ne nsuo tua ahorow nni dwuma bio wo mfe mmienu a etwam ni. Yen ama adwumayefo ne asukufo nyinaa nsuo a ewo tua mu fi bere a yebaa sukuu se yebea ade wo March 2021. Yereye adwuma dendenden na y'aye nsuo a yenom nyinaa mu nhwehwemu wo yen dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Se wope nsemmissa biara a efa saa asem yi ho a, mesre wo fre WPS Nneema Asoee wo (508) 799-3151.

Eye me,



Sukuu Panyin