



Worcester Public Schools

Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Ауғуһомуму 2022

De koma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **City View School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemu mu no, yehuu sɛ doroben ahorow bi a ewɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwɛ akwanhosan dwumadie ahorow nansa yi ara ɛfa lead dade ne kɔbere ewɔ nsuo mu nhwehwemu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa deɛ a edi kan ne nea yɛsae bere a woguso sa nsuo no dada. Sɛ wopɛ nsɛm pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwɛ: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwɛ dwumadie ahorow no yɛ nhwehwemu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwɛ akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemu a wɔn agyɛ atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anammɔntu Gyinapɛn ma kɔbere a ewɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsɛm a ɛfa lead dade ne kɔbere a ewɔ nsuo mu a hwɛ:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ɛhwɛ Amansan Akwahosan ho nsɛm a ɛfa lead dade ne kɔbere a ewɔ nsuo mu a hwɛ: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemu Resɔt ne Eho Dwumadie Nhyehyɛ

Nhwehwemu Da	Doroben Ahorow a yɛhwɛhwemu	Nhwehwemu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akya bere	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akya	Dwumadie Nhyehyɛ
3/29/2022	Sukuudan mu nsuo duroben	Dan 102	0.0018	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoa" si hɔ

3/29/2022	Duroben a wɔnom mu nsuo	Asa so kwan nkyem fi Dan 106	0.0048	0.0027	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Sukuudan mu nsuo duroben	Dan 201	0.0021	0.00027	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Sukuudan mu nsuo duroben	Dan 201	0.0023	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Nea ema nsuo ye nwinu	Apɔwmutenetene Abɔnten – soro de no	0.0019	0.00097	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Nea ema nsuo ye nwinu	Apɔwmutenetene Abɔnten – fam de no	0.0026	0.00051	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Duroben a wɔnom mu nsuo	Asa so kwan abɔnten Dan 214S - nifa	0.0019	0.0002	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Duroben a wɔnom mu nsuo	Asa so kwan abɔnten Dan 214S - benkum	0.0021	0.00064	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Gyaade nsuo duroben	Gyaade kankyee hweaseammɔ - benkum	0.0082	0.00048	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
3/29/2022	Gyaade nsuo duroben	Gyaade kankyee hweaseammɔ - nifa	0.0017	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
3/29/2022	Gyaade kettle	Gyaade	0.0055	0.00014	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 ansa na wode aye ade
3/29/2022	Sukuudan mu nsuo duroben	Dan 306	0.0017	0.00023	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Sukuudan mu nsuo duroben	Dan 308	0.0091	0.00025	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Nɛɛsefoɔ hweaseammɔ	Nɛɛsefo Ofise Dan 311 sohwe dan	0.0017	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
3/29/2022	Afoforɔ - hweaseammɔ	Midia Nhomakorabea da	0.0045	0.00072	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ

3/29/2022	Sukuudan mu nsuo duroben	Dan 408	0.0035	0.00077	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Duroben a wɔnom mu nsuo	Asa so kwan nkyem fi Dan 408	0.0019	0.00032	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/29/2022	Sukuudan mu nsuo duroben	Dan 409	0.0021	0.00043	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/29/2022	Afoforɔ - hweaseammɔ	Dan 411 adwumayefo adidibea	0.0039	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

Massachusetts nhwehwemu a wɔn agye atom gyinapen ye 0.001 mg/L ne Anammɔntu Gyinapen ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yɛrefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea ɛka anammɔntuo a ɛwɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wɔ mantam no nyinaa mu:

1. Wɔ ahyensodee bi te sɛ "*Nsa Hohoro Nkoa Ahyensodee*" asi doroben ahorow a lead dade ne/kɔbere gyinapen no boro lead gyinapen no so ne/anaa kɔbere Anammɔntu Gyinapen no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a ɛboro anammɔntuo gyinapen no so wɔ mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoe a ɛhwe Akwahosan so no ka sɛ nsuo a lead dade ne kɔbere wom no nye hu bere a wode hohoro wo nsa.
2. Yɛbema sukuufo, adwumayefo, ne mpɔtam adwumayefo nsem.
3. Yene WPS asoe te sɛ Aduanedi, Nɛsin, ne nea etete saa na yede aye anammɔntuo nhyehyee, sɛ eho behia a.
4. Yɛhwe sɛ yewɔ nsuo dodow a yenom ne nea yede ye aduane sɛ ɛsɛ sɛ yeyi doroben bi kakra na yeye nhwehwemu a anaa yede yiye to n'akwan mu. Yadum nea ɛma nsuo ye nwunu nyinaa, doroben a yenom mu nsuo, ne tua ahorow nyinaa ansaa na yeba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayefo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ɛwɔ Nsuo a Yenom mu Farebea ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsukurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneema a wode twe nsuo no ho aka na ɛwɔ lead dade wom, te sɛ lead doroben (doroben biara a ɛwɔ lead wom no yayi a fi hɔ) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneema a yede twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneema a wode twe nsuo no ho aka na ɛwɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwe

se wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebo a efi MassDEP

Nsuo a efi sukuumu no ntese nsuo a ewɔ dan afoforo mu. Nneema a yede twe nsuo ne doroben ahorow, titiriw, nea wɔde lead dade na aye anaa nea yede tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesre wo hye no nso se asiane nsem a efa Covid-19 ho enti, yemfa nneema bi te se nea ema nsuo ye nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmienu a etwam ni. Yen ama adwumayefo ne asukuufɔ nyinaa nsuo a ewɔ tua mu fi bere a yɛbaa sukuu se yebesua ade wɔ March 2021. Yereye adwuma dendenden na y'aye nsuo a yenom nyinaa mu nhwehwemu wɔ yen dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Se wope nsemmissa biara a efa saa asem yi ho a, mesre wo fre WPS Nneema Asoee wɔ (508) 799-3151.

Eye me,



Sukuu Panyin