



# Worcester Public Schools

## Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration  
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Ayewohomumɔ 2022

De kɔma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **Grafton Street School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwɛmu mu no, yehuu sɛ durobɛn ahorow bi a ɛwɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii durobɛn ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwe akwanhosan dwumadie ahorow nansa yi ara efa lead dade ne kɔbere ɛwɔ nsuo mu nhwehwɛmu. Yesaa nsuo no bi fii durobɛn biara mu, yɛaa nsuo a agyina durobɛn mu ma ade akye anɔpa deɛ a edi kan ne nea yesae bere a woguso sa nsuo no dada. Sɛ wopɛ nsɛm pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwe:

<https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwe dwumadie ahorow no yɛ nhwehwɛmu na wosiesie durobɛn biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwe akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwɛmu a wɔn agye atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebɛhu lead dade a esua koraa. Massachusetts Anamɔntu Gyinapɛn ma kɔbere a ɛwɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsɛm a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ehwe Amansan Akwahosan ho nsɛm a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe:

<https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

### ***Nhwehwɛmu Resɔt ne Eho Dwumadie Nhyehyɛ***

<b>Nhwehwɛmu Da</b>	<b>Durobɛn Ahorow a yehwehwɛmu</b>	<b>Nhwehwɛmu Beae</b>	<b>Lead Dade resɔt mg/L</b>	<b>Lead Dade resɔt wɔ anibu 30</b>	<b>Kɔbere resɔt mg/L</b>	<b>Kɔbere resɔt wɔ anibu</b>	<b>Dwumadie Nhyehyɛ</b>
3/17/2022	Gyaade nsuo durobɛn	Bldg 1 – nsuo noa dan hweaseammɔ	<b>0.0043</b>	0.0002	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
3/17/2022	Sukuudan mu nsuo durobɛn	Bldg 1 – Dan 3B	<b>0.0026</b>	0.00026	Enni Hɔ	Enni Hɔ	Fa ahyɛnsodeɛ “Hohoro wo Nsa Nkoa” si hɔ

3/17/2022	Afoforo - hweaseammō	Bldg 1 – tikyafō atēnae	<b>0.0018</b>	Yēnhu Biribiara	Enni Hō	Enni Hō	Bu nsuo no gu anibu 30 fa fi da no ase
3/17/2022	Nea ɛma nsuo yē nwunu	Bldg 2 – asa so Adidibea abōnten	<b>0.0016</b>	0.0014	Enni Hō	Enni Hō	Fa afidie a yede yē adwuma si nkyen kosi bere bi
3/17/2022	Durobēn a wōnom mu nsuo	Bldg 2 –asa so wō Adaan 2 & 4 ntem	<b>0.0036</b>	0.00052	Enni Hō	Enni Hō	Fa afidie a yede yē adwuma si nkyen kosi bere bi
3/17/2022	Durobēn a wōnom mu nsuo	Bldg 2 – asa so wō Adaan 2 & 4 ntem	<b>0.013</b>	<b>0.004</b>	Enni Hō	Enni Hō	Fa afidie a yede yē adwuma si nkyen kosi bere bi
3/17/2022	Afoforo - hweaseammō	Bldg 2 – asa so wō Adaan 6 & 8 ntem	<b>0.0052</b>	Yēnhu Biribiara	Enni Hō	Enni Hō	Fa ahyensodee “Hohoro wō Nsa Nkoaa” si hō
3/17/2022	Nēesefoō hweaseammō	Bldg 2 – abansoro dan 1 ofise adware nsuo durobēn	<b>0.0017</b>	0.00014	Enni Hō	Enni Hō	Bu nsuo no gu anibu 30 fa fi da no ase

Massachusetts nhwehwemu a wōn agye atom gyinapen yē 0.001 mg/L ne Anammōntu Gyinapen ma kōbere yē 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resōts wei anibere paa na yerefa akwan ahōrow so asiesie nea aba no. Yēne MassDEP nyinaa reye adwuma abom.

***Nea ɛka anammōntuo a ɛwō wo sukuu mu ho no, WPS reye dwumadie ahōrow yi wō mantam no nyinaa mu:***

1. Wō ahyensodee bi te sē “*Nsa Hohoro Nkoaa Ahyensodee*” asi durobēn ahōrow a lead dade ne/kōbere gyinapen no boro lead gyinapen no so ne/anaa kōbere Anammōntuo Gyinapen no so na wōnnom nsuo no anaa wōmmfa noa aduane. Durobēn dodow no ara a ɛboro anammōntuo gyinapen no so wō mantam no mu yē kyensee a yede hōhoro nsa. Massachusetts Asoe a ɛhwē Akwahosan so no ka sē nsuo a lead dade ne kōbere wom no nyē hu bere a wode hōhoro wo nsa.
2. Yēbema sukuufo, adwumayefo, ne mpotam adwumayefo nsem.
3. Yēne WPS asoē te sē Aduanedi, Nēesin, ne nea ɛtete saa na yede aye anammōntuo nhyehyēe, sē ɛho behia a.
4. Yēhwē sē yewō nsuo dodow a yenom ne nea yede yē aduane sē ɛsē sē yeyi durobēn bi kakra na yeyi nhwehwemu a anaa yede yiye to n’akwan mu. Yadum nea ɛma nsuo yē nwunu nyinaa, durobēn a yenom mu nsuo, ne tua ahōrow nyinaa ansaa na yēba sukuu mu besua ade bio wō ɔbenim 2021. Tua mu nsuo wō hō ma asukuufo nyinaa ne adwumayefo nyinaa saa bere yi.

***Lead Dade ne Kōbere a ɛwō Nsuo a Yenom mu Farebea ne Nhwehwemu***

Wō Massachusetts no, nsuo a yenom dodow no ara a efi nsuokurabea ne asaase ase nsuo nni lead dade ne kōbere wom. Lead dade tumi kō nsuo mu bere a nneema a wode twe nsuo no ho aka na ɛwō lead dade wom, te sē lead durobēn (durobēn biara a ɛwō lead wom no yayi afi hō) a efi dan bi mu kō nsuo mu wō

abonten so, anaa nea efi nneema a yede twe nsuo wo dan bi mu. Kobere tumi ko nsuo mu bere a nneema a wode twe nsuo no ho aka na ewo kobere wom.

Lead dade ne kobere a esone taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a womfaa nsuo no nni dwuma nnonhwerew pii. Ne saa enti, MassDEP hwehwe se wotwe nsuo a ade akye so anopa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

***Nkaebo a efi MassDEP***

Nsuo a efi sukuumu no ntesε nsuo a ewo dan afororo mu. Nneema a yede twe nsuo ne duroben ahorow, titiriw, nea wode lead dade na aye anaa nea yede tare dade betumi ama kwan ama lead dade awura nsuo mu.

**Mesre wo hye no nso se asiane nsem a efa Covid-19 ho enti, yemfa nneema bi te se nea ema nsuo ye nwunu, asubura a wonom mu nsuo, ne nsuo tua ahorow nni dwuma bio wo mfe mmienu a etwam ni. Yen ama adwumayefo ne asukuufo nyinaa nsuo a ewo tua mu fi bere a yebaa sukuu se yebesua ade wo March 2021. Yereye adwuma dendenden na y'aye nsuo a yenom nyinaa mu nhwehwemu wo yen dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.**

Se wope nsemmissa biara a efa saa asem yi ho a, mesre wo fre WPS Nneema Asoee wo (508) 799-3151.

Eye me,



***Sukuu Panyin***