



Worcester Public Schools

Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Ayewohomumɔ 2022

De kɔma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **Lincoln Street School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwɛmu mu no, yehuu sɛ durobɛn ahorow bi a ɛwɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii durobɛn ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwe akwanhosan dwumadie ahorow nansa yi ara efa lead dade ne kɔbere ɛwɔ nsuo mu nhwehwɛmu. Yesaa nsuo no bi fii durobɛn biara mu, yɛaa nsuo a agyina durobɛn mu ma ade akye anɔpa deɛ a edi kan ne nea yesae bere a woguso sa nsuo no dada. Sɛ wopɛ nsɛm pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwe: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwe dwumadie ahorow no yɛ nhwehwɛmu na wosiesie durobɛn biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwe akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwɛmu a wɔn agye atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anamɔntu Gyinapɛn ma kɔbere a ɛwɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsɛm a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ehwe Amansan Akwahosan ho nsɛm a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe:

<https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwɛmu Resɔt ne Eho Dwumadie Nhyehyɛ

Nhwehwɛmu Da	Durobɛn Ahorow a yehwehwɛmu	Nhwehwɛmu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akya	Dwumadie Nhyehyɛ
3/3/2022	Durobɛn a wɔnom mu nsuo	Dan 1	0.002	0.00027	Enni Hɔ	Enni Hɔ	Fa afidie a yɛde yɛ adwuma si nkyɛn kosi bere bi
3/3/2022	Afoforɔ - hweaseammɔ	Sukuu Panyin Abadiakyiri Ofise	0.0035	0.00082	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

3/3/2022	Nea ɛma nsuo ye nwunu	Dankora wɔ Dan 22 abɔnten	0.00098	0.0073	0.46	2.3	Fa afidie a yede ye adwuma si nkyen kosi bere bi
----------	-----------------------	---------------------------	---------	---------------	------	------------	--

Massachusetts nhwehwemu a wɔn agye atom gyinapen ye 0.001 mg/L ne Anammɔntu Gyinapen ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea ɛka anammɔntuo a ɛwɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wɔ mantam no nyinaa mu:

1. Wɔ ahyensodeɛ bi te sɛ "*Nsa Hohoro Nkoa Ahyensodeɛ*" asi duroben ahorow a lead dade ne/kɔbere gyinapen no boro lead gyinapen no so ne/anaa kɔbere Anammɔntuo Gyinapen no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Duroben dodow no ara a ɛboro anammɔntuo gyinapen no so wɔ mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoɛɛ a ɛhwɛ Akwahosan so no ka se nsuo a lead dade ne kɔbere wom no nye hu bere a wode hohoro wo nsa.
2. Yɛbema sukuufo, adwumayɛfo, ne mpɔtam adwumayɛfo nsem.
3. Yene WPS asoɛɛ te sɛ Aduanedi, Nɛɛsin, ne nea ɛtete saa na yede aye anammɔntuo nhyehyɛɛ, sɛ eho behia a.
4. Yɛhwɛ sɛ yɛwɔ nsuo dodow a yenom ne nea yede ye aduane sɛ ɛsɛ sɛ yeyi duroben bi kakra na yeye nhwehwemu a anaa yede yiye to n'akwan mu. Yadam nea ɛma nsuo ye nwunu nyinaa, duroben a yenom mu nsuo, ne tua ahorow nyinaa ansaa na yɛba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ ho ma asukuufo nyinaa ne adwumayɛfo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ɛwɔ Nsuo a Yenom mu Farebea ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsuokurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneɛma a wode twe nsuo no ho aka na ɛwɔ lead dade wom, te sɛ lead duroben (duroben biara a ɛwɔ lead wom no yayi afi ho) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneɛma a yede twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneɛma a wode twe nsuo no ho aka na ɛwɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwɛ sɛ wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaɛbo a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ɛwɔ dan afoforo mu. Nneɛma a yede twe nsuo ne duroben ahorow, titiriw, nea wode lead dade na aye anaa nea yede tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesɛ wo hye no nso sɛ asiane nsem a ɛfa Covid-19 ho enti, yɛmfa nneɛma bi te sɛ nea ɛma nsuo ye nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmienu a etwam ni. Yen ama adwumayɛfo ne asukuufo nyinaa nsuo a ɛwɔ tua mu fi bere a yɛbaa sukuu sɛ yebesua ade wɔ March 2021. Yereye adwuma dendenden na y'aye nsuo a yenom nyinaa mu nhwehwemu wɔ yen dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Se wope nsemmisa biara a efa saa asem yi ho a, mesre wo fre WPS Nneema Asoee wo
(508) 799-3151.

Eye me,

A handwritten signature in black ink, reading "Rachel H. Monaney". The signature is written in a cursive style with a prominent initial "R".

Sukuu Panyin