



Worcester Public Schools



Worcester, Massachusetts

Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Ayewohomumu 2022

De koma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **North High School,**

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemu mu no, yehuu se doroben ahorow bi a ewɔ yen sukuu mu wɔ lead dade gyinapen bi a eboro lead dade gyinapen a ehia no so ana/ne kɔbere a eboro Anamontuo Gyinapen no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yenom, yede noa aduane, ne nea yede hwe akwanhosan dwumadie ahorow nansa yi ara efa lead dade ne kɔbere ewɔ nsuo mu nhwehwemu. Yesaa nsuo no bi fii doroben biara mu, yaaa nsuo a agyina doroben mu ma ade akye anɔpa dee a edi kan ne nea yesae bere a woguso sa nsuo no dada. Se wope nsem pii afa akwan ahorow a yefa so sa nsuo wɔ sukuu no mu a mesre wo hwe: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ene USEPA 3Ts Nhoma a wɔn aye mu Nsakrae hyia no, MassDEP LCCA dwumadie no hye ho nkuran se sukuu ahorow ne mfiase nhomasua ne chwɛ dwumadie ahorow no ye nhwehwemu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwe akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemu a wɔn agye atom gyinapen 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi se yebehu lead dade a esua koraa. Massachusetts Anammontu Gyinapen ma kɔbere a ewɔ nsuo mu ye 1.3 mg/L (yesan fre no parts per million).

Se wope MassDEP ho nsem a efa lead dade ne kɔbere a ewɔ nsuo mu a hwe:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Se wope Massachusetts Asoee a ehwe Amansan Akwahosan ho nsem a efa lead dade ne kɔbere a ewɔ nsuo mu a hwe: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemu Resɔt ne Eho Dwumadie Nhyehyee

Nhwehwemu Da	Doroben Ahorow a yehwehwemu	Nhwehwemu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu	Dwumadie Nhyehyee
4/2/2022	Duroben a wɔnom mu nsuo	Abɔnten Abranaa 101A - benkum	0.0033	0.00049	Enni Ho	Enni Ho	Fa afidie a yede ye adwuma si nkyen kosi bere bi
4/2/2022	Duroben a wɔnom mu nsuo	Abɔnten Abranaa 101A - nifa	0.002	0.0013	Enni Ho	Enni Ho	Fa afidie a yede ye adwuma si nkyen kosi bere bi

4/2/2022	Nɛɛsefo hweaseammɔ	Akwahosan Sɔhwɛ Dan 2	0.0092	0.0018	Enni Hɔ	Enni Hɔ	Fa ahyɛnsodeɛ “Hohoro wo Nsa Nkoaa” si hɔ
4/2/2022	Nɛɛsefo hweaseammɔ	Akwahosan Sɔhwɛ Dan 1	0.003	0.00087	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

Massachusetts nhwehwɛmu a wɔn agye atom gyinapɛn yɛ 0.001 mg/L ne Anammɔntu Gyinapɛn ma kɔbere yɛ 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yɛrefa akwan ahorow so asiesie nea aba no. Yɛne MassDEP nyinaa reyɛ adwuma abom.

Nea ɛka anammɔntuo a ɛwɔ wo sukuu mu ho no, WPS reyɛ dwumadie ahorow yi wɔ mantam no nyinaa mu:

1. Wɔ ahyɛnsodeɛ bi te sɛ “*Nsa Hohoro Nkoaa Ahyɛnsodeɛ*” asi dorobɛn ahorow a lead dade ne/kɔbere gyinapɛn no boro lead gyinapɛn no so ne/anaa kɔbere Anammɔntuo Gyinapɛn no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Dorobɛn dodow no ara a ɛboro anammɔntuo gyinapɛn no so wɔ mantam no mu yɛ kyɛnsɛe a yɛde hohoro nsa. Massachusetts Asoɛɛ a ɛhwɛ Akwahosan so no ka sɛ nsuo a lead dade ne kɔbere wom no nyɛ hu bere a wode hohoro wo nsa.
2. Yɛbɛma sukuufo, adwumayɛfo, ne mpɔtam adwumayɛfo nsem.
3. Yɛne WPS asoɛɛ te sɛ Aduanedi, Nɛɛsin, ne nea ɛtete saa na yɛde ayɛ anammɔntuo nhyehyɛɛ, sɛ eho behia a.
4. Yɛhwɛ sɛ yɛwɔ nsuo dodow a yɛnom ne nea yɛde yɛ aduane sɛ ɛsɛ sɛ yeyi dorobɛn bi kakra na yɛyɛ nhwehwɛmu a anaa yɛde yiye to n’akwan mu. Yadam nea ɛma nsuo yɛ nwonu nyinaa, dorobɛn a yɛnom mu nsuo, ne tua ahorow nyinaa ansaa na yɛba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayɛfo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ɛwɔ Nsuo a Yɛnom mu Farebea ne Nhwehwɛmu

Wɔ Massachusetts no, nsuo a yɛnom dodow no ara a efi nsuokurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneɛma a wɔde twe nsuo no ho aka na ɛwɔ lead dade wom, te sɛ lead dorobɛn (dorobɛn biara a ɛwɔ lead wom no yayi a fi hɔ) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneɛma a yɛde twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneɛma a wɔde twe nsuo no ho aka na ɛwɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no ayɛ hyɛ anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwɛ sɛ wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ɛwɔ dan afoforo mu. Nneɛma a yɛde twe nsuo ne dorobɛn ahorow, titiriw, nea wɔde lead dade na ayɛ anaa nea yɛde tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesɛ wo hyɛ no nso sɛ asiane nsem a ɛfa Covid-19 ho enti, yɛmfa nneɛma bi te sɛ nea ɛma nsuo yɛ nwonu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmienu a etwam ni. Yɛn ama adwumayɛfo ne asukuufo nyinaa nsuo a ɛwɔ tua mu fi bere a yɛbaa sukuu sɛ yɛbesua ade wɔ March 2021. Yɛreyɛ adwuma dendenden na y’ayɛ nsuo a yɛnom nyinaa mu nhwehwɛmu wɔ yɛn dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Se wope nsemmisa biara a efa saa asem yi ho a, mesre wo fre WPS Nneema Asoee wo
(508) 799-3151.

Eye me,

A handwritten signature in black ink, reading "Rachel H. Monahan". The signature is written in a cursive style with a prominent initial "R".

Sukuu Panyin