



Worcester Public Schools



Worcester, Massachusetts

Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Ayewohomumɔ 2022

De kɔma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **Quinsigamond School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwɛmu mu no, yehuu sɛ doroben ahorow bi a ɛwɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwe akwanhosan dwumadie ahorow nansa yi ara efa lead dade ne kɔbere ɛwɔ nsuo mu nhwehwɛmu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa deɛ a edi kan ne nea yesae bere a woguso sa nsuo no dada. Sɛ wopɛ nsem pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwe: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ene USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwe dwumadie ahorow no yɛ nhwehwɛmu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwe akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwɛmu a wɔn agye atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anamɔntu Gyinapɛn ma kɔbere a ɛwɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsem a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ɛhwe Amansan Akwahosan ho nsem a efa lead dade ne kɔbere a ɛwɔ nsuo mu a hwe: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwɛmu Resɔt ne Eho Dwumadie Nhyehyɛɛ

Nhwehwɛmu Da	Doroben Ahorow a yehwehwɛmu	Nhwehwɛmu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akyia	Dwumadie Nhyehyɛɛ
3/26/2022	Gyaade nsuo duroben	Gyaade Hweaseammɔ 2 a ɛben Adidibea hɔ	0.0032	0.00023	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase
3/26/2022	Gyaade kettle	Gyaade	0.0042	Yenhu Biribiara	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 ansa na wode adi dwuma

3/26/2022	Nea ema nsuo ye nwinu	Asa so kwan ntwam fi Dan 220	0.024	0.21	8.1	27.0	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/26/2022	Sukuudan mu nsuo duroben	Dan 211	0.0018	Yenhu Biribiara	Enni Ho	Enni Ho	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
3/26/2022	Sukuudan mu nsuo duroben	Dan 321A	0.0016	0.0004	Enni Ho	Enni Ho	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho
3/26/2022	Sukuudan mu nsuo duroben	Nhomakorabea adwumadan	0.0017	0.00025	Enni Ho	Enni Ho	Fa ahyensodee "Hohoro wo Nsa Nkoa" si ho

Massachusetts nhwehwemu a won agye atom gyinapen ye 0.001 mg/L ne Anammontu Gyinapen ma kobere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resots wei anibere paa na yerefa akwan ahoro so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea eka anammontuo a ewo wo sukuu mu ho no, WPS reye dwumadie ahoro yi wo mantam no nyinaa mu:

1. Wo ahyensodee bi te se "*Nsa Hohoro Nkoa Ahyensodee*" asi doroben ahoro a lead dade ne/kobere gyinapen no boro lead gyinapen no so ne/anaa kobere Anammontu Gyinapen no so na wonnom nsuo no anaa wammfa noa aduane. Doroben dodow no ara a eboro anammontu gyinapen no so wo mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoe a Ehwɛ Akwahosan so no ka se nsuo a lead dade ne kobere wom no nye hu bere a wode hohoro wo nsa.
2. Yebema sukuufo, adwumayefo, ne mpotam adwumayefo nsem.
3. Yene WPS asoe te se Aduanedi, Nɛsin, ne nea etete saa na yede aye anammontu nhyehyee, se eho behia a.
4. Yehwe se yewo nsuo dodow a yenom ne nea yede ye aduane se ese se yeyi doroben bi kakra na yeye nhwehwemu a anaa yede yiye to n'akwan mu. Yadum nea ema nsuo ye nwunu nyinaa, doroben a yenom mu nsuo, ne tua ahoro nyinaa anaa na yeba sukuu mu besua ade bio wo Obenim 2021. Tua mu nsuo wo ho ma asukuufo nyinaa ne adwumayefo nyinaa saa bere yi.

Lead Dade ne Kobere a ewo Nsuo a Yenom mu Farebea ne Nhwehwemu

Wo Massachusetts no, nsuo a yenom dodow no ara a efi nsukurabea ne asaase ase nsuo nni lead dade ne kobere wom. Lead dade tumi ko nsuo mu bere a nneema a wode twe nsuo no ho aka na ewo lead dade wom, te se lead doroben (doroben biara a ewo lead wom no yayi afi ho) a efi dan bi mu ko nsuo mu wo abonten so, anaa nea efi nneema a yede twe nsuo wo dan bi mu. Kobere tumi ko nsuo mu bere a nneema a wode twe nsuo no ho aka na ewo kobere wom.

Lead dade ne kobere a esone taa si bere a nsuo no aye hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wammfa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwe se wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ɛwɔ dan aforofo mu. Nneɛma a yɛde twe nsuo ne doroben ahorow, titiriw, nea wɔde lead dade na ayɛ anaa nea yɛde tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesɛ wo hyɛ no nso sɛ asiane nsem a ɛfa Covid-19 ho enti, yɛmfa nneɛma bi te sɛ nea ɛma nsuo yɛ nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmieniu a etwam ni. Yɛn ama adwumayɛfo ne asukuufo nyinaa nsuo a ɛwɔ tua mu fi bere a yɛbaa sukuu sɛ yɛbesua ade wɔ March 2021. Yɛreyɛ adwuma dendenden na y'ayɛ nsuo a yɛnom nyinaa mu nhwehwɛmu wɔ yɛn dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Sɛ wopɛ nsemmissa biara a ɛfa saa asem yi ho a, mesɛ wo frɛ WPS Nneɛma Asoɛɛ wɔ (508) 799-3151.

Eyɛ me,



Sukuu Panyin