



Worcester Public Schools

Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Агәwоhоmumо 2022

De kоmа Sukuufo, Abusuafo, ne Adwumayefo a wоwо **Union Hill School,**

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemu mu no, yehuu sɛ doroben ahorow bi a ewo yen sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yenom, yede noa aduane, ne nea yede hwɛ akwanhosan dwumadie ahorow nansa yi ara ɛfa lead dade ne kɔbere ewo nsuo mu nhwehwemu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa deɛ a edi kan ne nea yɛsae bere a woguso sa nsuo no dada. Sɛ wopɛ nsem pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwɛ: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwɛ dwumadie ahorow no yɛ nhwehwemu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwɛ akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemu a wɔn agye atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anammɔntu Gyinapɛn ma kɔbere a ewo nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsem a ɛfa lead dade ne kɔbere a ewo nsuo mu a hwɛ:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ɛhwɛ Amansan Akwahosan ho nsem a ɛfa lead dade ne kɔbere a ewo nsuo mu a hwɛ: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemu Resɔt ne Eho Dwumadie Nhyehyɛ

Nhwehwemu Da	Duroben Ahorow a yehwehwemu	Nhwehwemu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akya bere	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akya	Dwumadie Nhyehyɛ
3/18/2022	Duroben a wɔnom mu nsuo	Asa so kwan Ofise Ankasa abɔnten	0.0081	0.0025	Enni Ho	Enni Ho	Fa afidie a yede yɛ adwuma si nkyɛn kosi bere bi

3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 1	0.0056	0.0029	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 1	0.01	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 2	0.0054	0.0044	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 2	0.0036	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 4	0.0032	0.00034	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 5	0.0095	0.003	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 5	0.0083	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 13	0.0069	0.0011	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 6	0.018	0.068	0.94	1.5	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 12	0.004	0.0008	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 12	0.0024	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Asa so kwan nkyem fi Dan 7	0.0069	0.0022	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 11	0.002	0.0011	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 11	0.0049	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 8	0.002	0.00052	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi

3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 8	0.0061	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 2 – Dankora 9	0.0026	0.0018	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Sukuudan mu nsuo duroben	Dan 2 – Dankora 10	0.0039	0.0002	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoaa" si hɔ
3/18/2022	Duroben a wɔnom mu nsuo	Dan 1 – Asa so kwan abɔnten mmarima dan (benkum)	0.0029	0.0021	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 1 – Asa so kwan abɔnten mmarima dan (nifa)	0.004	0.0018	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 1 – Asa so kwan abɔnten Dan 101A	0.018	0.0069	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/18/2022	Duroben a wɔnom mu nsuo	Dan 1 – Asa so kwan abɔnten Dan 207B	0.034	0.024	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi

Massachusetts nhwehwemu a wɔn agye atom gyinapɛn ye 0.001 mg/L ne Anammɔntu Gyinapɛn ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea eka anammɔntuo a ewɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wo mantam no nyinaa mu:

1. Wɔ ahyensodeɛ bi te sɛ "*Nsa Hohoro Nkoaa Ahyensodeɛ*" asi doroben ahorow a lead dade ne/kɔbere gyinapɛn no boro lead gyinapɛn no so ne/anaa kɔbere Anammɔntuo Gyinapɛn no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a ɛboro anammɔntuo gyinapɛn no so wɔ mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoɛ a ɛhwɛ Akwahosan so no ka sɛ nsuo a lead dade ne kɔbere wom no nyɛ hu bere a wode hohoro wo nsa.
2. Yɛbɛma sukuufo, adwumayɛfo, ne mpɔtam adwumayɛfo nsem.
3. Yene WPS asoɛ te sɛ Aduanedi, Nɛsin, ne nea etete saa na yede aye anammɔntuo nhyehyɛ, sɛ eho behia a.
4. Yɛhwɛ sɛ yɛwɔ nsuo dodow a yenom ne nea yede ye aduane sɛ ɛsɛ sɛ yeyi doroben bi kakra na yɛyɛ nhwehwemu a anaa yede yiye to n'akwan mu. Yadum nea ɛma nsuo ye nwunu nyinaa, doroben a yenom mu nsuo, ne tua ahorow nyinaa ansaa na yɛba sukuu mu besua ade bio wɔ ɔbenim 2021. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayɛfo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ewɔ Nsuo a Yenom mu Fareba ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsukurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneema a wɔde twe nsuo no ho aka na ewɔ lead dade wom, te sɛ lead doroben (doroben biara a ewɔ lead wom no yayi afi ho) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneema a yɛde twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneema a wɔde twe nsuo no ho aka na ewɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no ayɛ hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfɔa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwe sɛ wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ewɔ dan afoforo mu. Nneema a yɛde twe nsuo ne doroben ahorow, titiriw, nea wɔde lead dade na ayɛ anaa nea yɛde tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesrɛ wo hyɛ no nso sɛ asiane nsem a ɛfa Covid-19 ho enti, yɛmfa nneema bi te sɛ nea ɛma nsuo yɛ nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmieniu a etwam ni. Yɛn ama adwumayɛfo ne asukuufɔ nyinaa nsuo a ewɔ tua mu fi bere a yɛbaa sukuu sɛ yebesua ade wɔ March 2021. Yɛreyɛ adwuma dendenden na y'ayɛ nsuo a yenom nyinaa mu nhwehwɛmu wɔ yɛn dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Sɛ wopɛ nsemmissa biara a ɛfa saa asem yi ho a, mesrɛ wo frɛ WPS Nneema Asoɛɛ wɔ (508) 799-3151.

Eyɛ me,



Sukuu Panyin