



Worcester Public Schools



Worcester, Massachusetts

Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building

Telefon (508) 799-3115

20 Irving Street

FAX (508) 799-3119

Worcester, Massachusetts 01609-2493

Агєwohomumɔ 2022

De kɔma Sukuufo, Abusuafo, ne Adwumayefo a wɔwɔ **Worcester Arts Magnet School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemu mu no, yehuu sɛ doroben ahorow bi a ewɔ yɛn sukuu mu wɔ lead dade gyinapɛn bi a ɛboro lead dade gyinapɛn a ehia no so ana/ne kɔbere a ɛboro Anamɔntuo Gyinapɛn no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwɛ akwanhosan dwumadie ahorow nansa yi ara ɛfa lead dade ne kɔbere ewɔ nsuo mu nhwehwemu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa deɛ a edi kan ne nea yɛsae bere a woguso sa nsuo no dada. Sɛ wopɛ nsem pii afa akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesrɛ wo hwɛ: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea ɛne USEPA 3Ts Nhoma a wɔn ayɛ mu Nsakrae hyia no, MassDEP LCCA dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwɛ dwumadie ahorow no yɛ nhwehwemu na wosiesie doroben biara a wɔnom mu nsuo, wɔde noa aduane ne nea wode hwɛ akwahosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemu a wɔn agyɛ atom gyinapɛn 1ppb0.001 milligram lita baako biara (mg/L) (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anammɔntu Gyinapɛn ma kɔbere a ewɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsem a ɛfa lead dade ne kɔbere a ewɔ nsuo mu a hwɛ:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoɛɛ a ɛhwɛ Amansan Akwahosan ho nsem a ɛfa lead dade ne kɔbere a ewɔ nsuo mu a hwɛ: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemu Resɔt ne Eho Dwumadie Nhyehyɛ

Nhwehwemu Da	Doroben Ahorow a yɛhwɛhwemu	Nhwehwemu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akɔya bere	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akɔya	Dwumadie Nhyehyɛ
3/4/2022	Sukuudan mu nsuo duroben	Dan 1B	0.0044	0.00048	Enni Hɔ	Enni Hɔ	Fa ahyensodeɛ "Hohoro wo Nsa Nkoa" si hɔ

3/4/2022	Sukuudan mu nsuo duroben	Dan 1A - benkum	0.0023	0.00017	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 1A - nifa	0.0065	0.00019	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 6	0.0023	0.00032	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 7	0.0016	0.00019	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Duroben a wɔnom mu nsuo	Dan 8	0.018	0.0022	Enni Hɔ	Enni Hɔ	Fa afidie a yede yɛ adwuma si nkyɛn kosi bere bi
3/4/2022	Sukuudan mu nsuo duroben	Dan 8	0.013	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 9	0.002	0.00074	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 2	0.0026	0.00055	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Duroben a wɔnom mu nsuo	Dan 4	0.027	0.0016	Enni Hɔ	Enni Hɔ	Fa afidie a yede yɛ adwuma si nkyɛn kosi bere bi
3/4/2022	Sukuudan mu nsuo duroben	Dan 4	0.0032	Enni Hɔ	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 3	0.0021	0.00016	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Duroben a wɔnom mu nsuo	Apɔwmutɛɛtebea	0.034	0.017	Enni Hɔ	Enni Hɔ	Fa afidie a yede yɛ adwuma si nkyɛn kosi bere bi
3/4/2022	Sukuudan mu nsuo duroben	Dan 11 duroben baa wɔ mantee	0.0095	0.00073	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ

3/4/2022	Sukuudan mu nsuo duroben	Dan 12	0.02	0.0013	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 15	0.0075	0.00036	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Sukuudan mu nsuo duroben	Dan 16	0.0059	0.00031	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ
3/4/2022	Duroben a wɔnom mu nsuo	Asa so kwan a eɓen Dan 16	0.0047	0.00034	Enni Hɔ	Enni Hɔ	Fa afidie a yede ye adwuma si nkyen kosi bere bi
3/4/2022	Sukuudan mu nsuo duroben	Dan 19	0.017	0.0017	Enni Hɔ	Enni Hɔ	Fa ahyensodee "Hohoro wo Nsa Nkoa" si hɔ

Massachusetts nhwehwemu a wɔn agye atom gyinapen ye 0.001 mg/L ne Anammɔntu Gyinapen ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resots wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom.

Nea eka anammɔntuo a ewɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi wo mantam no nyinaa mu:

1. Wɔ ahyensodee bi te se "Nsa Hohoro Nkoa Ahyensodee" asi doroben ahorow a lead dade ne/kɔbere gyinapen no boro lead gyinapen no so ne/anaa kɔbere Anammɔntuo Gyinapen no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a eboro anammɔntuo gyinapen no so wo mantam no mu ye kyensee a yede hohoro nsa. Massachusetts Asoe a Ehwɛ Akwahosan so no ka se nsuo a lead dade ne kɔbere wom no nye hu bere a wode hohoro wo nsa.
2. Yɛɛma sukuufo, adwumayefo, ne mpɔtam adwumayefo nsem.
3. Yene WPS asoe te se Aduanedi, Nɛsin, ne nea etete saa na yede aye anammɔntuo nhyehye, se eho behia a.
4. Yehwe se yewɔ nsuo dodow a yenom ne nea yede ye aduane se ese se yeyi doroben bi kakra na yeye nhwehwemu a anaa yede yiye to n'akwan mu. Yadum nea ema nsuo ye nwnu nyinaa, doroben a yenom mu nsuo, ne tua ahorow nyinaa ansaa na yeba sukuu mu besua ade bio wo ɔbenim 2021. Tua mu nsuo wo hɔ ma asukuufo nyinaa ne adwumayefo nyinaa saa bere yi.

Lead Dade ne Kɔbere a ewɔ Nsuo a Yenom mu Fareba ne Nhwehwemu

Wɔ Massachusetts no, nsuo a yenom dodow no ara a efi nsukurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneema a wode twe nsuo no ho aka na ewɔ lead dade wom, te se lead doroben (doroben biara a ewɔ lead wom no yayi afi hɔ) a

efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneɛma a yɛde twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneɛma a wɔde twe nsuo no ho aka na ɛwɔ kɔbere wom.

Lead dade ne kɔbere a ɛsɔne taa si bere a nsuo no ayɛ hye anaa egyina faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnɔnhwerew pii. Ne saa enti, MassDEP hwehwe sɛ wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukuumu no ntesɛ nsuo a ɛwɔ dan afoforo mu. Nneɛma a yɛde twe nsuo ne doroben ahorow, titiriw, nea wɔde lead dade na ayɛ anaa nea yɛde tare dade betumi ama kwan ama lead dade awura nsuo mu.

Mesɛ wo hyɛ no nso sɛ asiane nsem a ɛfa Covid-19 ho enti, yɛmfa nneɛma bi te sɛ nea ɛma nsuo yɛ nwunu, asubura a wɔnom mu nsuo, ne nsuo tua ahorow nni dwuma bio wɔ mfe mmienu a etwam ni. Yɛn ama adwumayɛfo ne asukuufɔ nyinaa nsuo a ɛwɔ tua mu fi bere a yɛbaa sukuu sɛ yebesua ade wɔ March 2021. Yɛreyɛ adwuma dendenden na y'ayɛ nsuo a yɛnom nyinaa mu nhwehwɛmu wɔ yɛn dan ahorow nyinaa mu na yetumi de adi dwuma 2022 – 2023 sukuu afe no.

Sɛ wopɛ nsemmissa biara a ɛfa saa asem yi ho a, mesɛ wo frɛ WPS Nneɛma Asoɛɛ wɔ (508) 799-3151.

Eyɛ me,



Sukuu Panyin