



Worcester Public Schools

Worcester, Massachusetts



Sukuu Panyin Ofise

Dr. John E. Durkin Administration
Building
20 Irving Street
Worcester, Massachusetts 01609-2493

Telofon (508) 799-3115

FAX (508) 799-3119

Ebo 2023

De koma Sukuufo, Abusuafu, ne Adwumayefo a wɔwɔ **Burncoat High School**,

Nansa yi ara lead dade ne kɔbere nsuo nhwehwemmu mu no, yehuu sɛ doroben ahorow bi a εωɔ yɛn sukuu mu wɔ lead dade gyinapen bi a εboro lead dade gyinapen a ehia no so ana/ne kɔbere a εboro Anamɔntuo Gyinapen no so. Yesaa nsuo no bi fii doroben ahorow nyinaa mu nea yɛnom, yɛde noa aduane, ne nea yɛde hwɛ akwanhosan dwumadie ahorow nansa yi ara εfa lead dade ne kɔbere εωɔ nsuo mu nhwehwemmu. Yesaa nsuo no bi fii doroben biara mu, yɛaa nsuo a agyina doroben mu ma ade akye anɔpa dee a edi kan ne nea yɛsae bere a woguso sa nsuo no dada. Sɛ wopɛ nsem pii afu akwan ahorow a yɛfa so sa nsuo wɔ sukuu no mu a mesɛ wo hwɛ: <https://www.mass.gov/guides/sampling-for-lead-and-copper-at-schools-and-childcare-facilities>

Nea εne USEPA 3Ts Nhoma a wɔn aye mu Nsakrae hyia no, MassDEP Lead Dade a Esɛe Kɔntro Mmra (LCCA) dwumadie no hyɛ ho nkuran sɛ sukuu ahorow ne mfiase nhomasua ne ɔhwɛ dwumadie ahorow no yɛ nhwehwemmu na wosiesie doroben biara a wɔnom mu nsuo, wode noa aduane ne nea wode hwɛ akwanhosan dwumadie ahorow a lead dade resɔt no boro Massachusetts nhwehwemmu a wɔn agye atom gyinapen 1ppb (0.001 milligrams per liter (mg/L)) kosi sɛ yebehu lead dade a esua koraa. Massachusetts Anammɔntu Gyinapen ma kɔbere a εωɔ nsuo mu yɛ 1.3 mg/L (yɛsan frɛ no parts per million).

Sɛ wopɛ MassDEP ho nsem a εfa lead dade ne kɔbere a εωɔ nsuo mu a hwɛ:

Lead Dade: <https://www.mass.gov/lead-in-drinking-water>

Kɔbere: <https://www.mass.gov/doc/fact-sheet-copper-and-your-health>

Sɛ wopɛ Massachusetts Asoee a εhwɛ Amansan Akwahosan ho nsem a εfa lead dade ne kɔbere a εωɔ nsuo mu a hwɛ: <https://www.mass.gov/orgs/childhood-lead-poisoning-prevention-program>

Nhwehwemmu Resɔt ne Eho Dwumadie Nyehyɛe

Nhwehwemmu Da	Duroben Ahorow a yɛnhwehwemmu	Nhwehwemmu Beae	Lead Dade resɔt mg/L	Lead Dade resɔt wɔ anibu 30 akyia bere a yebue mg/L	Kɔbere resɔt mg/L	Kɔbere resɔt wɔ anibu 30 akyia bere a yebue mg/L	Dwumadie Nyehyɛe
5/11/2023	Fie εkɔnɔmis hweaseammo	Dan E-8 - benkum	0.0033	0.0003	Enni Hɔ	Enni Hɔ	Fa ahysodee "Hohoro wo Nsa Nkoaa" si hɔ
5/11/2023	Fie εkɔnɔmis hweaseammo	Dan E-6 - benkum	0.0022	0.00031	Enni Hɔ	Enni Hɔ	Fa ahysodee "Hohoro wo Nsa Nkoaa" si hɔ
5/11/2023	Gyaade nsuo duroben	Gyaade	0.002	Yenu Biribiara	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

5/11/2023	Sukuudan mu nsuo duroben	Dan D-6A	0.0017	0.00025	Enni Hɔ	Enni Hɔ	Fa ahyeñsodee "Hohoro wo Nsa Nkoaa" si hɔ
5/11/2023	Afoforɔ - hweaseammoɔ	Dan B-15	0.014	0.0011	Enni Hɔ	Enni Hɔ	Bu nsuo no gu anibu 30 fa fi da no ase

Massachusetts nhwehwemtu a wɔn agye atom gyinapen ye 0.001 mg/L ne Anamɔntu Gyinapen ma kɔbere ye 1.3 mg/L

Worcester Public Schools (WPS) no fa saa resɔts wei anibere paa na yerefa akwan ahorow so asiesie nea aba no. Yene MassDEP nyinaa reye adwuma abom. Nea ene LCCA dwumadie no hyia, yεbεyε bere ne bere mu nsuo a yεnom mu nhwehwemtu wɔ sukuu biara mu anyε yiye koraa mfe mmiensa biara.

Nea εka anamɔntu a εwɔ wo sukuu mu ho no, WPS reye dwumadie ahorow yi cɔmantam no nyinaa mu:

1. Wɔ ahyeñsodee a wɔn aye no foforo asi doroben ahorow a lead dade ne/kɔbere gyinapen no boro lead gyinapen no so ne/anaa kɔbere Anamɔntu Gyinapen no so na wɔnnom nsuo no anaa wɔmmfa noa aduane. Doroben dodow no ara a εboro anamɔntu gyinapen no so wɔ mantam no mu ye kyensee a yεde hohoro nsa. Massachusetts Asoee a Ehwe Akwahosan so no ka se nsuo a lead dade ne kɔbere wom no nyε hu bere a wode hohoro wo nsa.
2. Yεbεma sukuufo, adwumayεfo, ne mpɔtam adwumayεfo nsem.
3. Yene WPS asoee te se Aduanedi, Nεesin, ne nea εtete saa na yεde aye anamɔntu nhyehyεe, se εho behia a.
4. Yεhwe se yεwɔ nsuo dodow a yεnom ne nea yεde ye aduane se εse se yεyi doroben bi kakra na yεyε nhwehwemtu a anaa yεde yiye to n'akwan mu. Tua mu nsuo wɔ hɔ ma asukuufo nyinaa ne adwumayεfo nyinaa wɔ baabi a nsuo a wɔnom nni hɔ papa.
5. Yεde Massachusetts Nsuo a Emu Te Sukuu Nsuo Nkɔanim Sika (SWIG) di dwuma na yεde si afidie a ebu nsuo gu toa mu wɔ yεn sukuu adan ahodoɔ 25 mu. WPS nso reye adan ahorow mu nhwehwemtu ama nsuo nom duroben foforo a yεde afidie a wɔde hyε nsuo toa abere a wɔde Elementary ne Ntoaso Sukuu Ntempε Mmoa (ESSER) sika na edi dwuma no.

Lead Dade ne Kɔbere a εwɔ Nsuo a Yεnom mu Farebea ne Nhwehwemtu

Wɔ Massachusetts no, nsuo a yεnom dodow no ara a efi nsuokurabea ne asaase ase nsuo nni lead dade ne kɔbere wom. Lead dade tumi kɔ nsuo mu bere a nneεma a wɔde twe nsuo no ho aka na εwɔ lead dade wom, te se lead doroben (doroben biara a εwɔ lead wom no yayi afi hɔ) a efi dan bi mu kɔ nsuo mu wɔ abɔnten so, anaa nea efi nneεma a yεde twe nsuo wɔ dan bi mu. Kɔbere tumi kɔ nsuo mu bere a nneεma a wɔde twe nsuo no ho aka na εwɔ kɔbere wom.

Lead dade ne kɔbere a εsɔne taa si bere a nsuo no aye hye anaa egyna faako, titiriw bere a ade akye so anaa bere a wɔmfaa nsuo no nni dwuma nnoñhwerew pii. Ne saa enti, MassDEP hwehwε se wotwe nsuo a ade akye so anɔpa no ne bere a obiara amfa nsuo no anni dwuma anadwo mu no nyinaa.

Nkaebɔ a efi MassDEP

Nsuo a efi sukumu no ntese nsuo a εwɔ dan afoforo mu. Nneɛma a yɛde twe nsuo ne dorobɛn ahorow, titiriw, nea wɔde lead dade na aye anaa nea yɛde tare dade betumi ama kwan ama lead dade awura nsuo mu.

Sε wopɛ nsemmisa biara a εfa saa asem yi ho a, mesrɛ wo frɛ WPS Nneɛma Asoee wɔ (508) 799-3151.

Σyε me,



Sukuu Panyin